

ACCESSIBILITY AND DEVELOPMENT IN PORTUGUESE OFF-COAST REGIONS A SPATIAL REGRESSION ANALYSIS

Anabela Ribeiro
Department of Civil Engineering
University of Coimbra, Portugal
Antonio Pais Antunes
Department of Civil Engineering
University of Coimbra, Portugal

1. Introduction

During the last decades, there were great investments both in the United States and in Europe on new road infrastructures, mainly supported by the argument that these infrastructures are important tools in improving social and economic cohesion and have a key role in the minimization of developed problems in peripheral areas. In Europe, the policies and actions on this subject mainly relate with the consolidation of Trans-European Transport Networks (TEN-T): *“the European Union must aim to promote the development of Trans-European networks as a key element for the creation of the Internal Market and the reinforcement of Economic and Social Cohesion”* (European Commission, 2005, 2007).

The last decade's results showed much weaker than expected (and/or unexpected) impacts, especially when looking at regional development on a local basis. One of the central issues arising from these results relates with the fact that road infrastructures, due to its network nature, tend to redistribute development rather than improving it.

During the last twenty years, Portugal's main road network has undergone a profound transformation under policies and investments related to the TEN-T, which resulted in a substantial increase in the number of kilometres of main roads, in a decrease in travel time by road and consequently in an increase on accessibility. This transformation leads to high expectations, particularly in the traditionally less developed northern and central off-coast areas, above mentioned. However, these areas development does not match expectations, symptomatically reflected, for example, in the population decline. As it is possible to carry out from a literature review focused on evaluation studies of new road infrastructures in regional development, there are not many examples of this type of studies, especially for the municipality level of spatial disaggregation. The great majority of the existing studies apply on a spatially aggregated basis, and uses methodologies and models such as Production Functions and Cost Benefit Analysis.

The recent developments in spatial econometrics and in spatial regression help in the understanding of the spatial economic systems complexity, in all levels of geographic aggregation.

Following partially the work developed by Paez (2004), this paper present another example for this type of evaluation studies, accounting for local spatial distributed effects while testing for accessibility increase impacts in development, in a sufficiently detailed spatial disaggregation such as the

municipality. It also adds important information about the local behavior of this relation, by means of a Spatial Regimes specification.

This paper structure is as follows. First, we developed a literature review on the models traditionally used to measure the relationship between investments in infrastructures and regional development and presenting the new alternatives (section 2). In section 3, we introduce the case study and in section 4 the econometric model used. Section 5 is devoted to the presentation and discussion of results. Finally, section 6 includes some conclusions and opens the field for discussion.

2. Literature review

This literature review presents a general historical background of the models most commonly used to approach the relationship between investments in infrastructures and regional development. Moreover, it focuses in specific studies of spatial local development impacts evaluation of transport infrastructures and presents some of the new approaches, applied in this study.

There are several perspectives that imply transport potential (or observable) influence in regional development. From Multiregional Input Output Analysis - where transport enters as a business cost in the transferences between regions and sectors (using production functions), like in the work of Amano & Fujita (1970), Oosterhaven (1981) and Liew and Liew (1985) - to Cost Benefit Analysis - which results are usually integrated in wider regional development prospective such as Production Functions - several approaches apply.

The 'Production Functions' models can be considered the closest methodological approach to the one developed in this paper. In fact, it is an econometric model that relates variables potentially able to induce regional development such as capital or labor to the ones that are able to measure regional development.

When used in the dynamics of national output/input incomes it usually gets the form:

$$Y = A * F(K, L)$$

It was only with Aschauer's (1989) work that this methodological approach started in a consolidated form. The work of Aschauer, developed for the national level, showed that public capital had a positive and significant effect on private output and total factor productivity, with an estimated elasticity of 0,39. Moreover indicates that the composition of this public capital is also relevant. In fact, the basic infrastructures such as those of transport, energy and water and sewer, are the ones that showed the closest relationship with productivity.

Up to now, the evaluation in Portugal used mainly these aggregated analysis approaches. This is the case of a study from Pereira & Andraz (2005), showing that new transport infrastructures positively affect the Portuguese economy global performance. These authors used the same approach as Aschauer, where private output is regressed on public capital and private outputs – employment and capital, for the national aggregate data. In this study, aggregate public investment holds an elasticity of 0,18 on output. When looking at road infrastructure such as highways, this elasticity drops to 0,024.

The positive results obtained with these aggregated models started to be looking through with caution during the nineties, due to different local economic behaviors observed in the presence of new transport infrastructure. Mas et al (1996) stressed that the network features of infrastructures usually imply *spillover* effects, observed when the estimations for each individual region included the values of private output for the neighbour ones.

Aschauer pointed the need to further explore the results following a change in the scale of analysis (from country or big country regions, to small regions inside of it).

During the nineties, some authors developed a way to improve the inclusion of infrastructure on production functions. Peter Rietveld (1994) used aggregated accessibility measures (of gravity type) as a way to measure services of infrastructures supply in a production function framework:

$$V_r = g(K_r, L_r, IN_{rr'})$$

where region r gross domestic product V_r depends on aggregate capital K_r , aggregate labour L_r and depends also on $IN_{rr'}$ which measures services of infrastructures supply in region r as in other related regions. The term $IN_{rr'}$ includes one intraregional component (quality and capacity of the network) and one interregional component (measures such as aggregated accessibility indicators as a way to capture spatial spillovers effects, usually out from traditional production functions - how region r benefits from the infrastructure facilities in region r').

Jensen-Butler & Madsen (1999) proposed a new integrated approach including production, transport cost and accessibility. With this approach, they were able to distinguish between distributive and generative effects of transport investment including both changes in transport costs (and therefore changes in accessibility) and models of regional and interregional structure. Applied to the Danish Great Belt Link (a road and rail connection between Denmark and Sweden) these model estimation results are similar to the findings of Vickerman (1987), Button (1995) or Forslund & Johansson (1995), for the Channel Tunnel impacts evaluation study (between France and the UK). Also Bruinsma et al (1997), while analyzing several levels of impact of the A1 highway in the Netherlands, through a regression of potential factors influential in differential shift for the employment, found that the effects in total regional employment are minimum. Moreover, only inner region relocation effects appeared as significant and mainly for the most urbanized areas, with losses for other areas.

At this point, it is important to stress that the calculation of an accessibility indicator (which is usually called 'accessibility approach') cannot be considered as an evaluation study about the impact of the infrastructures in development. In fact, it is possible to detect the increased regional disparities in terms of accessibility, and to speculate that those increased disparities will have effects on regional development, but they cannot effectively measure the impacts of accessibility on development.

Another major question that arises is the importance of the geographical scale of analysis (the level of spatial disaggregation). In fact, one fundamental critic to the aggregated studies models (production functions) is that it cannot

identify the pattern of spillover effects and are not able to distinguish between distributive and generative effects.

Guild (2000) stressed that in the majority of empirical studies, impacts are largest at the national level, smaller at the regional level, and lowest at the municipal level, suggesting that the size and complexity of networks are important determinants of positive local impacts.

This is also the case of Berechman et al (2006) work, using a production function and tested different forms of it for state, county and municipality level, highlight the importance of a local approach.

Using a similar production function Boarnet (1998) concluded that the local (county) impacts have significance, the locations near the new roads benefit more, and the locations far from the new roads tend to lost output (within a redistribution induced by the new roads).

The local characteristics, as pre-conditions for development, are also major issues to account for in the models. As Holl (2004) pointed out (for a probability profit model at a county/municipality level), local characteristics guide the variable impact of an infrastructure corridor on the location decision of firms. This is the case of the existence of agglomeration economies, the type of activity sector, the existing markets dimension, the work force specialization and diversification and the concentration/dispersion of economic activity.

In a recent special issue in *Annals in Regional Science* devoted to the interaction between transportation investment and economic growth, authors as Coughlin et al, (2008) and Weisbord (2008) stressed that different modeling approaches apply and no unique framework is defined for each specific case.

Some recent developments give some insight on this subject like in Gkritza et al (2008), where models, of linear regression form, show how the proximity of a highway, especially with good access to an airport or a port, proved to be determinant of economic development potential.

This type of models does not include explicitly the spatial location of the local geographical units in relation to others, in order to prove if a specific road or group of roads had impact in spatial development for the neighbor units, in a more detailed and enlarged analysis.

One possible innovation, for the evaluation of transportation infrastructures impacts on spatial development, relies on a simplified approach taking spatial regression as a privileged tool, where variables selection and transformation is determinant, where accessibility takes a leading role as explanatory variable and where the network spatial effects is accounted for through the explicit incorporation of spatial effects in models.

This is the case of the work from Páez (2004), a spatial regression applied to study the influence of network accessibility in the spatial distribution of economic activity in Eastern Asia. The model takes the following form:

$$W_i = A_i + \sum_{k=1}^K x_{ik} \theta_k + \varepsilon_i$$

where W_i is the weight of location (the major economic zones) and is measured in population or GDP, A_i is the accessibility of each location to the same type of economic activity, x_{ik} represent other explanatory variables and

ε_i is a residual. The main results of this application showed that network accessibility is weakly influent in the distribution of economic activity, especially after adding other variables to the model. Although direction of causality might be questionable, the absence of correlation gives a clear statistical indication of this weakness.

In another paper (Ribeiro et al, 2009) other slightly different model applies the same concepts:

$$\Delta P_i^{0-1} = f(\Delta W_j^{0-1}, \Delta C_{ij}^{0-1}, X_i)$$

The present case study tests this conclusion using a local geographical unit of analysis (municipality - local approach) and a set of other variables related with development, in a similar spatial regression analysis framework.

3. The study area

The study area locates in the off-coast northern and centre areas of Portugal where there was a great increase in accessibility between 1991 and 2001. This off-coast region is near the borderline with Spain, it has 290 kilometres extension per 130 kilometres wide, and it is composed by 86 municipalities. It includes five capital districts, Bragança, Vila Real, Viseu, Guarda e Castelo Branco and the following NUT III PIS: Pinhal Interior Sul; PIN: Pinhal Interior Norte; SE: Serra da Estrela; D: Douro; ATM: Alto-Trás-os-Montes; BIN: Beira Interior Norte; BIS: Beira Interior Sul; CB: Cova da Beira; DL: Dão Lafões (see Figure 2). Portugal is a European country with about ten million inhabitants and it is located in the South West Europe (see Figure 1).



Figure 1 - The study area (in green)

The above referred municipalities observed a negative population growth rate of sixty percent (-6%), in average, for the same decade of new roads implementation.

The gross product (GDP) variation rate is usually adequate to reflect regional development and is common in this type of study.

However, there is no information on this variable for the municipality level. For that reason, the population variation rate can act as a proxy for the GDP variation rate and represents a good alternative in the absence of good GDP data. In fact, comparing both variables for the period under study (1991-2001) and for the usual scale of NUT III, there is some positive correspondence between population growth and GDP growth (see Figure 2).




Figure 2 - Population variation rate versus GDP variation rate in the NUTIII included in the study area

These observations reinforce the opportunity in the use of population growth as a proxy for development for 1991-2001 period.

The evolution of accessibility conditions for the study area was analysed with detail, since the associated indicators represent the independent variables used to measure new infrastructures effects in terms of accessibility.

The two main types are relative accessibility indicators and potential accessibility indicators.

Relative accessibility indicators have the general expression is as follows:

$$A_{ij} = t_{ij}$$

where $j \in \{\text{capitals}\}$, $i \in \{\text{municipalities}\}$ and $t_{ij} = \text{minimum travel time by road between } i \text{ and } j$.

This is typically a measure for spatial separation between i and j i.e. between each municipality and each capital (destinations) considered.

Using the values for 1991 (before) and 2001 (after), the variation rate for each municipality was calculate and used as an independent variable.

Regional accessibility indicators, representing a more integrated approach (namely daily accessibility and potential accessibility), are regarded as being the most suitable to capture the variability of impacts. In fact, they take into account both the different geographic units' socio-economic characteristics, and the different transport network infrastructures. The approaches using regional accessibility indicators were pulled-up with Keeble's seminal work (Keeble et al, 1982). Other authors such as Evers (1987), Rietveld (1989), Gutierrez & Urbano (1996), Vickerman (1995, 1999), Schurmann et al (1997) and Rietveld & Bruinsma (1998) also developed several studies on accessibility indicators, namely in potential accessibility.

The regional accessibility indicators have the following general expression:

$$A_i = \sum_j g(W_j) f(C_{ij})$$

In this expression, $g(W_j)$ is the utility function (the quality of what is accessible) and $f(C_{ij})$ is the impedance function.

Potential accessibility has the following general expression:

$$A_i = \sum_j \frac{P_j}{e^{0.05t_{ij}}}$$

In this expression, P_j is the population and represents utility in destination j and t_{ij} is the minimum travel time by road between i and j . The value $\beta = 0,05$ we choose represents, in average, the way the demand for a trip decreases with the increase of travel time expected, in Portugal. Using the values for 1991 (before) and 2001 (after), the variation rate for each municipality was calculate and used as an independent variable.

The use of accessibility indicators' variation rate (accessibility gains) as independent variable is easily justifiable because changes expected in the short run, commonly have an influence in what is happening now.

All these indicators calculation uses minimum 'travel time by road' matrices (one for the moment before and other for the moment after the new road improvement) and the municipalities' socio economic characteristics. These time matrices were built upon detailed road networks, connecting the 86 municipalities and a set of other cities used as potential destinations in the accessibility indicators calculations. These other destinations are some capital districts (in the coastal region) and other important Portuguese cities, close or important to the region under study. These networks correspond respectively to the before and to the after moments and the resulting time matrices have one hundred and forty one (141) nodes.

The human resources in the beginning of the period of analysis (1991) - in the form of population levels of education - are the variables used to test for the accessibility indicators significance against regional development (population growth). This is because while gains in accessibility relate with investments in infrastructures the level of higher educated people relate with education policies under a more dynamic economy.

4. The model

The model applied has the following general expression:

$$\Delta D = f(\Delta A, X, \varepsilon, W\Delta D, W'\varepsilon)$$

where ΔD means population growth (development) for the period 1991-2001, ΔA means accessibility gains for the same period, X represents a matrix of added variables (including population levels of education), ε is the error term, $W\Delta D$ is the spatial lag for the population growth and $W'\varepsilon$ is the spatial error term.

The inclusion of space (alternatively spatial lag or spatial error term) as an explanatory factor, also allows us to verify whether the statistical significance of accessibility depends on the existence of spatial auto-correlation (i.e. significant spatial patterns). The methodology followed starts with the evaluation of classical regression results and searches for the opportunity of including a spatial specification (lag or error) in the models (Anselin, 1988; Anselin, 1992; Bailey & Gatrell, 1998; Florax et al, 2003; Arbia, 2006).

Among several models and specifications in spatial econometric methods, these two alternatives to the classic model adapt to the most part of spatial development situations at a regional scale.

(classic)
$$\Delta P = \beta\Delta A + \gamma X + \varepsilon$$

(spatial lag)
$$\Delta P = \rho W\Delta D + \beta\Delta A + \gamma X + \varepsilon$$

(spatial error)
$$\Delta P = \beta\Delta A + \gamma X + (I - \lambda W)^{-1}\varepsilon$$

We test these models in a previous research and present its results on the next chapter.

The presence of spatial heterogeneity on spatial error specifications from that research, lead us, in a first attempt, to test the structural stability of the data set.

In fact, the assumption of a fixed relation between the explanatory variables and the dependent variable that holds over the complete dataset might not correspond to reality. Instead, heterogeneity may be present, in the form of different intercepts and/or slopes in the regression equation for subsets of the data. This structural instability can be express in the form of switching regression models. When the different subsets in the data correspond to regions or spatial clusters, these switching regression specifications correspond to different Spatial Regimes (Anselin, 1988).

For example, for two regimes following the value of an indicator (dummy) variable d , the constant term and slope coefficients would take on two different sets of values, depending on the regime:

$$y_1 = \alpha_1 + X_1\beta_1 + \varepsilon_1$$

$$y_2 = \alpha_2 + X_2\beta_2 + \varepsilon_2$$

This method allows us to detect locally the significance of the relation between accessibility evolution and population evolution.

5. Results

In a first phase, a spatial regression analysis was done for both types of accessibility variables (relative and regional). Each one of these sub phases, comprehend two steps. In the first step, accessibility indicators significance is test using only population growth in the previous period as an independent control variable. In the second step, accessibility indicators significance is test using human resources and population growth in the previous period, as independent variables.

After this initial process, all the significant variables in previous analysis were included in a final model (except for the ones that inflate the multicollinearity number), using a spatial error specification in order to uphold the previous results.

The final expression obtained is as follows.

$$\Delta P_{0-1} = -29,81 + 0,36\Delta A_{0-1}^{naccap} - 0,21\Delta A_{0-1}^{regcap} + 0,04\Delta A_{0-1}^{pot} + 1,24E_{0-1}^b + 3,09E_{0-1}^u + (I - 0,42W)^{-1}\varepsilon$$

where ΔP_{0-1} is population growth between 1991 and 2001, ΔA_{0-1}^{naccap} is accessibility growth to national capital, ΔA_{0-1}^{regcap} is accessibility growth to regional capital, $0,04\Delta A_{0-1}^{pot}$ is potential accessibility growth, E_{0-1}^b is basic level of education (9th grade) in the beginning of the period, E_{0-1}^u is university level of education in the beginning of the period and $(I - 0,42W)^{-1}\varepsilon$ is the error term, spatially auto-correlated.

The only significant accessibility variables are the gain in accessibility to the national capital (Lisbon) and the gain in accessibility to the regional capital - although in the latter case with an inverse relation. None of the regional accessibility variables is significant, except 'Potential' accessibility, but when educational levels are included. Nevertheless, this variable drops its significance in spatial error specification. The 'basic' and the 'university' levels of education are the most significant ones, although with particular significance in the latter case.

In view of these results, it is wise to state that accessibility variables are weak explanatory factors in development (population growth) when considered isolated and get weaker when population levels of education are included. On the other hand, when these variables are included, the advice for the use of a spatial error specification also appeared (and the high and significant autocorrelation coefficient confirms it: 0,42).

The high autocorrelation term and the high level of significance for remaining heterocedasticity in the spatial error specification, indicate that this might be due to the existence of spatial regimes (different clusters or areas where the relation modeled observes different coefficients).

To test for the Spatial Regimes specification, two different regimes were considered.

These two regimes correspond respectively to an area simultaneously closed to the coast, to district capitals and to new roads, from north to south (*Regime 1*) and to the remaining area (*Regime 2*), with 50 and 36 municipalities. As

mentioned in a previous note this divides the study area sensitively by half in a West - East division (see Figure 3).



Figure 3 - Population variation rate versus GDP variation rate in the NUTIII included in the study area

Running the resulting heteroskedastic error model, it is possible to notice that R2 is not substantially different but slightly better (0, 59 against the previous 0, 54) and that the information criteria (Log Likelihood, Akaike and Schwarz) are not substantially different (better in Log Likelihood and Akaike but worse in Schwarz).

HETEROSKEDASTIC ERROR MODEL (GROUPWISE)				
R2	0,5984			
Log Likelihood	-259,732			
Akaike	543,463			
Schwarz	572,915			
VARIABLE	COEFF	SD	z-value	Prob
CONST_0	-18,55	6,81	-2,73	0,01
ΔA_{0-1}^{reg1} (National capital)_0	-0,02	0,18	-0,11	0,92
ΔA_{0-1}^{reg2} (Regional “)_0	0,11	0,09	1,20	0,23
ΔA_{0-1}^{reg2} (Potential accessibility)_0	0,03	0,05	0,55	0,58
E_0^2 (Basic education)_0	-0,05	1,00	-0,05	0,96
E_0^4 (University “)_0	5,18	1,67	3,10	0,00
CONST_1	-34,22	7,58	-4,52	0,00
ΔA_{0-1}^{reg1} (National capital)_1	-0,60	0,21	-2,88	0,00
ΔA_{0-1}^{reg2} (Regional “)_1	0,42	0,11	3,85	0,00
ΔA_{0-1}^{reg2} (Potential accessibility)_1	0,04	0,03	1,04	0,30
E_0^2 (Basic education)_1	1,65	0,81	2,05	0,04
E_0^4 (University “)_1	2,35	1,15	2,05	0,04
REGI_0	18,70	4,41	4,24	0,00

REGI_1	29,95	5,99	5,00	0,00
--------	-------	------	------	------

REGRESSION DIAGNOSTICS				
TEST ON STRUCTURAL INSTABILITY FOR 2 REGIMES DEFINED BY REGI				
TEST	DF	VALUE	PROB	
Chow - Wald	6	14,47	0,02	
STABILITY OF INDIVIDUAL COEFFICIENTS				
CONST_0	1	2,37	0,12	
ΔA_{0-1}^{reg1} (National capital)_0	1	4,48	0,03	
ΔA_{0-1}^{reg2} (Regional “)_0	1	5,10	0,02	
ΔA_{0-1}^{reg3} (Potential accessibility)_0	1	0,01	0,92	
E_0^1 (Basic education)_0	1	1,77	0,18	
E_0^2 (University “)_0	1	1,96	0,16	
TESTS ON HETEROSKEDASTICITY				
Wald test	1	2,29	0,13	
LR test	1	2,24	0,13	
DIAGNOSTICS FOR SPATIAL DEPENDENCE				
Lagrange Multiplier (error)	1	1,85	0,17	
Lagrange Multiplier (lag)	1	1,33	0,25	

Looking at variables significance, in *Regime 1* all variables are significant except the variation rate of potential accessibility, as it happens in spatial error specification for the above expression. In *Regime 2*, none of the variables is significant except the university educational level.

In *Regime 1*, the accessibility to the national capital growth holds a significant but negative relation with population growth.

The test for the structural stability for two regimes, is implemented for all variables jointly and for each separately (Chow-Wald test). This is a test on the null hypothesis that the coefficients are the same for the two-regimes.

In the present case, it is possible to reject the null hypothesis, with the value of 14,47 being extreme for 3 degrees of freedom. This is to say, the differences between coefficients in the two regimes is statistically significant. In the test for individual coefficients, it is noticeable the fact that only accessibility growth to national capital and to regional capital, have statistically significant differences between the two regimes. In other words, the relation between each of these two types of accessibility and population growth is different in each of the regimes. In the diagnosis for spatial dependence, there is no indication that the proper analysis of the effects of spatial regimes should include a spatial lag or a spatial error in the model. This means that the indication for spatial error dependence, in the first phase of the analysis, was probably related with the existence of spatial regimes. With the use of this switched regression model the indication for this dependence no longer exists. As a general conclusion of the application of spatial regimes specification, it is possible to say that there are statistically significant differences for the relation indicated in expression (15), at least for two different geographical areas inside the study area.

Conclusion

In the results of this application study, we verified that the contribution of accessibility to regional development, measured in population growth, is poor or inexistent.

First, the general idea that new roads have a strong effect in regional development when looking at it on an aggregated level, gets diffused when looking at that effect on a local level. This conclusion has becoming increasingly present in the scientific literature devoted to study the relation between accessibility and regional development. For this case study and first considering a study area composed by 86 municipalities -which is a small area compared to the more usual European NUTIII – it was statistically robust to stand that the only type of accessibility growth that was positively influent on population growth was the accessibility to the national capital. The growth in accessibility for the regional capital was negatively influent in population growth and the regional accessibility of the gravity type was weakly significant but losing that significance when estimating a spatial error model.

Secondly, the fact that the final spatial error model estimated still holds a significant amount of heterocedasticity yet to be absorbed indicates that some spatial processes were still occurring and are not included in the model. This apparent structural instability could probably indicate that it is not possible to hold the modeled relationship over the complete study area. Therefore, and using a previous geographical analysis on the relation between population growth and accessibility growth, two different subsets of municipalities were built. These two groups form a Spatial Regimes specification, for a switching regression method. Surprisingly, but accordingly to the previous geographical analysis above mentioned, there is a statistically significant difference in the relation between accessibility growth and population growth with the two different areas or regimes.

From a regional development perspective, we can state that it is more important to have highly educated people now, than to built for substantial gains in accessibility in the future, in order to predict population growth (and consequently development), as we previously stood for.

Accessibility revealed to be not significant or much less significant that might be initially expected.

The further analysis should turn on into other geographically detailed analysis, like the consideration of a spatial regimes specification dividing the study area into North and South, or spatial regimes defined by the relative importance of different urban centers.

Other spatial models and other variables should also be considered in order to capture more of the regional relationship between accessibility and development and to make this methodology completely able to replicate in other case studies.

The test on the spatial regime specification also indicates its importance in analyzing different local behaviors in the relation between accessibility growth and population growth.

References

Anselin, L. (1988). "*Spatial Econometrics: Methods and Models*". Kluwer, Academic Publishers, Dordrecht.

Anselin, L. (1993). "*Spacestat: a program for the Statistical Analysis of Spatial Data*". NCGIA, Department of Geography, University of California at Santa Barbara.

Arbia, G. (2006). "*Spatial Econometrics - Statistical Foundations and Applications to Regional Convergence*". Advances in Spatial Science, Springer-Verlag, Heidelberg.

Aschauer, D. (1989). "Is public expenditure productive?". *Journal of Monetary Economics*. Vol. 23(2), pp 177-200.

Bailey, T. & Gatrell, A. (1995). "*Interactive spatial data analysis*". Longman.

Berechman, J. et al (2006). "Empirical analysis of transportation investment and economic development at state, county and municipality levels". *Transportation*, Vol33, pp.537-551

Boarnet, M. G. (1998). "Spillovers and the locational effects of public infrastructure". *Journal of Regional Science*, Vol 38, n°3, 1998, pp. 381-400

Bruinsma, F. et al (1997). "Economic Impacts of the Construction of a Transport Corridor: A Multi-level and Multi-approach Case Study for the Construction of the A1 Highway in the Netherlands". *Regional Studies*, Vol. 42.7, pp. 977-991

Button, K. (1995). "What can meta analysis tell us about the implications of transport?". *Regional Studies* 29 (6), pp. 507-517.

Coughlin, C.C. et al (2008). "Introduction to the special issue: transportation investment and economic development". *Annals of Regional Science*, Vol. 42, pp. 501-503

Duffy-Deno K. and Eberts R.W. (1987) "Public Infrastructure and Regional Economic development. A simultaneous Equations Approach". Working Paper 8909. <http://clevelandfed.org/research/workpaper/index.cfm>

European Commission (2005). "Assess - Assessment of the contribution of the TEN and other transport policy measures to the midterm implementation of the White Paper on the European Transport Policy for 2010". DG TREN

European Commission (2007). "Introduction for the Community Guidelines for the development of the Trans-European Transport Network". Trans-European Networks. <http://ec.europa.eu/ten>.

Evers, G.H.M. et al (1987). "Regional Impacts of new transportation infrastructure: a multisectoral potentials approach". *Transportation*, Vol14, pp.113-126

Florax, R. J. G. M., Folmer, H. & Rey S.J. (2003). "Specification searches in spatial econometrics: the relevance of Hendry's methodology". *Regional Science and Urban Economics*, Vol. 33, Issue 5, pp. 557-579.

Forslund, U. & Johansson, B. (1995). "Assessing road investments – accessibility changes, cost – benefit and production effects". *Annals of Regional Science* 29 (2), pp. 155-174.

Gkritza, K. et al (2008). "Influence of highway construction projects on economic development: an empirical assessment". *Annals of Regional Science*, Vol. 42, pp. 545-563

Guild, Robert L. (2000). "Infrastructure Investment and Interregional Development". *Public Works Management & Policy*, Vol. 4, n° 4, pp. 274-285.

Gutiérrez, J. & Urbano, J. (1996). "Accessibility in the European Union: the Impact of the Trans-European Road Network". *Journal of Transport Geography*, 4, pp. 15-25.

Holl, A. (2004). "Transport Infrastructure, Agglomeration Economies, and Firm Birth: Empirical Evidence from Portugal". *Journal of Regional Science*, Vol. 44, n°4, pp. 693-712.

Jensen-Butler, C. & Madsen, B. (1999). "Modelling the Regional Economic Effects of the Danish Great Belt Link". *Papers in Regional Science*, Vol. 75, N°1, pp.1-21

Keeble D., Owens P. & Thompson C. (1982). "Regional accessibility and economic potential in the European Community". *Regional Studies* 16 (6), pp. 419-432.

Liew C.K. & Liew C.J. (1985). "Measuring the development impact of a transportation system: a simplified approach". *Journal of Regional Science*, Vol.25, n°2, pp. 241-257

Mas, M. et al (1996). "Infrastructures and Productivity in the Spanish Regions". *Regional Studies*, Vol. 30.7, pp. 641-649

Munnell, A.H. (1981). "Infrastructure investment and economic growth". *Journal of Economic Perspectives*. Vol. 4(4), pp 189-98.

Oosterhaven (1981). "*Interregional input-output analysis and Dutch regional policy problems*". Gower, Aldershot

Páez, A. (2004). "Network accessibility and the Spatial Distribution of Economic Activity in Eastern Asia". *Urban Studies*, Vol. 41, N° 11, pp. 2211-2230.

Pereira, A. & Andraz, J. (2005). "Public Investment in Transportation Infrastructures and Economic Performance in Portugal". *Review of Development Economics*, Vol. 9, n°2, pp. 177-196.

Pugh, G and Fairburn, J. (2008). "Evaluating the Effects of the M6 Toll Road on Industrial Land development and Employment". *Regional Studies*, Vol. 31.4, pp. 391-402

Rietveld, P. & Bruinsma, F. (1998). "Is Transport Infrastructure Effective? Transport Infrastructure and Accessibility: Impacts on the Space Economy". Springer-Verlag, Berlin, Germany.

Rietveld, P. (1989). "Infrastructure and regional development – a survey of multiregional economic models". *Annals of Regional Science* 23 (4), pp. 255-274.

Rietveld, P. (1994). "Evaluating the Effects of the M6 Toll Road on Industrial Land development and Employment". *Transport research*, Vol.28A, pp. 329-341

Shurmann, C., Spierkman, K. & Wegener, M. (1997). "Accessibility Indicators: Model and Report". Berichte aus dem Institut für Raumplanung 39, Institute of Spatial Planning, University of Dortmund, Germany.

Vickerman, R. (1995). "The regional impacts of Trans-European networks". *Annals of Regional Science* 29 (2), pp.237-254.

Vickerman, R., Spiekermann, K. & M. Wegener (1999), "Accessibility and Economic Development in Europe". *Regional Studies*, 33.1, pp. 1-15.

Weisbrod, G. (2008). "Models to predict the economic development impact of transportation projects: historical experience and new applications". *Annals of Regional Science*, Vol. 42:5, pp. 519-543